GENUINE RIGGING-PARTS AND ACCESSORIES

SUZUKI MOTOR CORPORATION reserves the right to add any improvement to change the design or to discontinue any item at any time without notice. Some items might not be compatible with local standards or statutory requirements. Please check with your local AUTHORIZED SUZUKI DEALER for details at the time of ordering. Acutual colors might differ from those appearing in this catalogue.
©2012 SUZUKI MOTOR CORPORATION. All rights reserved.
Printed in Japan. September 2012. Part number: 99000-79N12-117

SUZUKI
SUZUKI MOTOR CORPORATION
300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU CITY, JAPAN 432-8611

Your AUTHORIZED SUZUKI DEALER

BEFORE YOU SAIL OUT, CHECK YOUR MOTOR AND FUEL FOLLOWING THE OWNER'S MANUAL, AND WEAR PROPER ATTIRE.

SUZUKI
Way of Life!

GENUINE RIGGING-PARTS AND ACCESSORIES

Dear Customer,

Quality. Dependability. Innovation. Everything that you expect from your outboard motors is delivered with style by SUZUKI. Demand no less from the products that you choose to enhance your total boating pleasure. Demand GENUINE SUZUKI ACCESSORIES. This catalogue represents our commitment to provide you with the finest products available. From our classic line of matching instruments and gauges to our custom-engineered propellers and rigging items, you can depend on GENUINE SUZUKI ACCESSORIES for optimum performance.

Take a few minutes to browse through this catalogue, and then be sure to visit your AUTHORIZED SUZUKI DEALER for the complete ordering information.

Thank you.

SUZUKI MOTOR CORPORATION

TABLE OF CONTENTS

SUZUKI MULTI FUNCTION GAUGE	04
SUZUKI MODULAR INSTRUMENT SYSTEM	08
ANALOG INSTRUMENT	14
SPC ELECTRONIC THROTTLE AND SHIFT SYSTEM	18
MECHANICAL REMOTE CONTROL SYSTEM	22
STEERING	26
ELECTRICAL PARTS	29
ANODE	30
FUEL SYSTEM	31
PROPELLER	34
CARE ITEM	36
MAINTENANCE ITEM	36
APPLICATION CHART	38

REFERENCE

Part Number	15-digit alpha-numerical number shows Part Number to be used for ordering.
Gauge Size	Shows the size (2" or 4") of the gauge.
Background	Shows a main color of display panel on the front of a gauge.
Applicable Model	Shows typical or recommended models of ENGINES that RIGGING-PARTS and ACCESSORIES can be installed to.
Maximum Speed	Shows maximum speed that SPEEDOMETER displays.
kph	Kilo-meter Per Hour
mph	Miles Per Hour
knots	Knot

MODEL NAME AND ENGINE NUMBER

NOTE

Items and their part numbers showing in this catalogue are basically applicable to models of following engine numbers.
Please consult your local dealers regarding other models and their rigging-parts and accessories.

model	engine number
DF300A	30002S-310001~
DF250A	25003P-310001~
DF250T	25003F-310001~
DF250Z	25003Z-310001~
DF225T	22503F-310001~
DF225Z	22503Z-310001~
DF200T	20002F-310001~
DF200Z	20002Z-310001~
DF175T	17502F-310001~
DF175Z	17502Z-310001~
DF150T	15002F-310001~
DF150Z	15002Z-310001~
DF140AT	14002F-310001~
DF140AZ	14002Z-310001~

model	engine number
DF115AT	11502F-310001~
DF115AZ	11502Z-310001~
DF100A	10002F-310001~
DF90A	09003F-310001~
DF80A	08002F-310001~
DF70A	07003F-310001~
DF60A	06002F-310001~
DF50A	05003F-310001~
DF40A	04003F-310001~
DF25	02503F-310001~
DF20A	02002F-310001~
DF15A	01504F-310001~
DF9.9B	00995F-310001~
DF9.9A	00994F-310001~

model	engine number
DF9.9TH	00993F-310001~
DF8A	00801F-310001~
DF6	00602F-310001~
DF5	00502F-310001~
DF4	00402F-310001~
DF2.5	00252F-310001~
DT40	04005-310001~
DT40WK	04005K-310001~
DT30	03005-310001~
DT25K	02503K-310001~
DT15	01504-310001~
DT15K	01503K-310001~
DT9.9	00996-310001~
DT9.9K	00993K-310001~

SUZUKI MULTI FUNCTION GAUGE

SUZUKI MULTI FUNCTION GAUGE is specialized in synthetically reading basic functions for cruising and able to indicate directions and direct distance to homeport and destination. This gauge can be easily connected to SUZUKI MODULAR INSTRUMENT SYSTEM (SMIS).

MULTI FUNCTION GAUGE

34200-87L10-000 001

Applicable Model DF9.9B/15A/20A/40A-300A

Modes of display



Full display mode

Features:
Tachometer, shift position, speedometer, trim gauge, GPS time, trip hour, distance to homeport and destination, navigation compass, fuel manager, fuel gauge



Limited display mode

Features:
Tachometer, shift position, speedometer, fuel gauge, GPS time, navigation compass, trim gauge



Navigation display mode

Features:
Navigation compass, distance to homeport and destination, latitude and longitude, trip hour, GPS time

Fuel information display mode

Features:
Fuel level of each tank, fuel flow, fuel consumption per hour, sailing distance per litter or gallon, distance to homeport and destination



Engine information display mode

Features:
Total hour, hour after oil change, voltmeter, coolant water temperature

GAUGE ADAPTER



36661-87L00-000 002

Applicable Model DF9.9B/15A/20A/40A-250T/Z

36661-87L10-000 003

For drive-by-wire models

Applicable Model DF250A/300A

GPS RECEIVER MODULE

39950-87L00-000 004

Applicable Model DF9.9B/15A/20A/40A-300A

SMIS NETWORK WIRE

36666-87L00-000 005

Applicable Model DF9.9B/15A/20A/40A-300A

POWER CABLE

36663-98J00-000 006

2.5 meters

Applicable Model DF9.9B/15A/20A/40A-300A

36663-98J10-000 007

6.0 meters

Applicable Model DF9.9B/15A/20A/40A-300A

Example of connection for DF250A/300A with SUZUKI multi function gauge

DF250A/DF300A SINGLE





DF250A/DF300A DUAL



NOTE
- *1:Analog tank sender and SMIS tank sender can be used together. (Maximum 4 senders in total)
- *2:In case of connecting ① and ⑬ , the priority should be given to ① .
- *3:Available modes of ⑩ and ⑪ are Engine revolutions, trimming angle, engine temperature, battery voltage, ground speed, time and position information.
- *4:While some of SMIS items have a T-connector in the package, the total number of the T-connector enclosed in them may be short to the required quantity.

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (*4)
	SUZUKI multi function gauge	34200-87L10-000	1	1	1	0
①	GPS receiver module	39950-87L00-000	1	1	1	0
②	Gauge adapter	36661-87L10-000	1	1	1	0
③	Active hub power harness 2.5 meters	36663-98J00-000	1	1	1	0
	Active hub power harness 6.0 meters	36663-98J10-000				0
④	SMIS network wire	36666-87L00-000			1	0
⑤	SMIS power cable with a T-connector	36663-88L00-000			1	1
⑥	Fluid level sensor with a T-connector	34810-88L00-000			4	1
⑦	Terminator female	36665-88L00-000			1	0
⑧	T-connector	36664-88L00-000			8	1

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (*4)
⑨	Terminator male	36665-88L10-000			1	0
⑩	2" SMIS multi-function gauge	34800-88L01-000			1	1
⑪	4" SMIS multi-function gauge	34200-88L02-000				1
⑫	Gauge adapter	36661-87L00-000				0
⑬	GPS receiver module	39950-88L00-000			1	1
	Terminal set	36990-87D00-000				0
	Extention cable 2 feet	36662-88L10-000				0
	Extention cable 6 feet	36662-88L20-000				0
	Extention cable 15 feet	36662-88L30-000				0
	Extention cable 25 feet	36662-88L00-000				0



Example of connection for DF9.9B/15A/20A/40A-250T/Z with SUZUKI multi function gauge

DF9.9B/15A/20A/40A-250T/Z SINGLE





DF9.9B/15A/20A/40A-250T/Z DUAL



NOTE
- *1:This connection is required only for the engine equipped with a trim sender.
- *2:Disconnect the gauge connector and connect with the SDS connector.
- *3:Analog tank sender and SMIS tank sender can be used together. (Maximum 4 senders in total)
- *4:In case of connecting ① and ⑬ , the priority should be given to ① .
- *5:Available modes of ⑩ and ⑪ are Engine revolutions, trimming angle, engine temperature, battery voltage, ground speed, time and position information.
- *6:While some of SMIS items have a T-connector in the package, the total number of the T-connector enclosed in them may be short to the required quantity.
- *7:SMIS adapter is required only for DF9.9B/15A/20A as shown in the lower right-hand corner of the page.

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (*6)
	SUZUKI multi function gauge	34200-87L10-000	1	1	1	0
①	GPS receiver module	39950-87L00-000	1	1	1	0
②	Gauge adapter	36661-87L10-000				0
③	Active hub power harness 2.5 meters	36663-98J00-000	1	1	1	0
	Active hub power harness 6.0 meters	36663-98J10-000				0
④	SMIS network wire	36666-87L00-000			1	0
⑤	SMIS power cable with a T-connector	36663-88L00-000			1	1
⑥	Fluid level sensor with a T-connector	34810-88L00-000			4	1
⑦	Terminator female	36665-88L00-000			1	0
⑧	T-connector	36664-88L00-000			8	1

Ref No.	Part name	Part number	Single engine	Dual engine	with SMIS	Quantity of T-connector (*6)
⑨	Terminator male	36665-88L10-000			1	0
⑩	2" SMIS multi-function gauge	34800-88L01-000			1	1
⑪	4" SMIS multi-function gauge	34200-88L02-000				1
⑫	Gauge adapter	36661-87L00-000	1	1	1	0
⑬	GPS receiver module	39950-88L00-000			1	1
⑭	SMIS adapter (*7)	36668-88L00-000	1	2		0
	Terminal set	36990-87D00-000				0
	Extention cable 2 feet	36662-88L10-000				0
	Extention cable 6 feet	36662-88L20-000				0
	Extention cable 15 feet	36662-88L30-000				0
	Extention cable 25 feet	36662-88L00-000				0



SUZUKI MODULAR INSTRUMENT SYSTEM

SUZUKI MODULAR INSTRUMENT SYSTEM (SMIS) uses an easy to connect and expandable cable system to transmit graphic and numerical data to Multi-Function gauges. Easy to set up and install system can be used with nearly any boat and DF300 SUZUKI Outboard. Connected to the NMEA2000® compatible system, the gauges can display real-time readings from compatible electronic probes and the exclusive SMIS engine interface to monitor all engine functions.
(Engine Monitor with 4" gauge only)

APPLICABLE MODELS : DF9.9BR/15AR/20AR/40AT/50AT/60AT/70AT/80AT/90AT/100A-300A

SMIS MULTI-FUNCTION GAUGE

The 4" multi-function gauge uses a state-of-the-art high-contrast, dot matrix display to monitor real-time graphic and numerical digital data. When connected into the SMIS system, it can monitor all engine functions, act as a speedometer, tachometer, GPS*, and many others. (*GPS requires additional hardware.)
The 2" multi-function gauge is capable of all functions of the 4" gauge except diagnostic informations.
When connected to the SMIS system, it can be programmed to monitor all other functions.

4" SMIS MULTI-FUNCTION GAUGE

Quad analog page as a tachometer, a volt meter, a water-pressure gauge and a speedometer for single engine

34200-88L02-000 008

with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

2" SMIS MULTI-FUNCTION GAUGE

Fuel manager page

34800-88L01-000 009

with a gray bezel + a T-connector (36664-88L00-000) + Operation & Installation Manual

Examples of display**

Engine trim page as a trim gauge for single engine

Fuel manager page as a fuel gauge

Single analog page as a tachometer for single engine

Dual digital page as a hour meter and a speedometer for single engine

Single analog page as a speedometer

Diagnostics page

Examples of display**

as a volt meter for single engine

Fuel manager page

Engine trim page as a trim gage for single engine

** The detail instructions of display-operation are explained in the Operation & Installation Manual.

GAUGE KIT

4" GAUGE KIT

34011-88L02-000 010

This kit contains basic components to install digital gauge.

2" GAUGE KIT

34011-88L12-000 011

This kit is supplementary to analog gauge system, and it can display information which analog gauge system cannot indicate such as fuel consumption.



Available for your covenience. Refer to the following chart for the contents.

Contents						
part name		part number	quantity 4" Gauge Kit 34011-88L02-000	***	2" Gauge Kit 34011-88L12-000	***
1	4" SMIS Multi-Function Gauge	34200-88L02-000 008	1	1	-	-
2	2" SMIS Multi-Function Gauge	34800-88L01-000 009	-	-	1	1
3	Terminator Female	36665-88L00-000 020	1	-	1	-
4	Terminator Male	36665-88L10-000 021	1	-	1	-
5	Extension Cable 25 feet	36662-88L00-000	-	-	1	-
6	Engine Interface Unit	34922-88L01-000 012	1	1	1	1
7	SMIS Power Cable	36663-88L00-000 017	1	1	1	1
8	SMIS Adapter	36668-88L00-000 013	-	-	1	-
9	Operation & Installation Manual for 4" Gauge		1	-	-	-
10	Operation & Installation Manual for 2" Gauge		-	-	1	-

***Quantity of T-connector(s) in a kit

OPTIONAL INSTRUMENT TRIM

Change the standard gray bezel to suit your application.
Two different bezel finishes are available for 2" or 4" Multi-Function gauges.

The image shows 4" bezel, "chrome", 34193-88L00-000.

4" bezel, chrome 34193-88L00-000

4" bezel, white 34193-88L20-000

2" bezel, chrome 34193-88L40-000

2" bezel, white 34193-88L60-000

SUZUKI MODULAR INSTRUMENT SYSTEM

ENGINE INTERFACE

The most important part of the SMIS data system. DF300 of SUZUKI outboards can connect to the system, using Engine Interface Adapter.

ENGINE INTERFACE ADAPTER

36661-98J10-000 014

for single DF250A/300A engine only

36661-98J20-000 015

for dual DF250A/300A engine only

ENGINE INTERFACE UNIT WITH A T-CONNECTOR

34922-88L01-000 012

SMIS ADAPTER

36668-88L00-000 013

for DF9.9BR/15AR/20AR/40AT-250T/Z with analog gauge system to add on digital gauges

36661-98J30-000 016

for triple DF250A/300A engine only

POWER CABLE

The fused (3A) lead connects the extension cable to the power source.

SMIS POWER CABLE WITH A T-CONNECTOR

36663-88L00-000 017

POWER NODE WITH A T-CONNECTOR

36663-88L10-000 018

Allows network to be powered from multiple power sources (key switch, accessory switch, etc...). For multiple (2 or 3) engines of DF9.9BR/15AR/20AR/40A-250T/Z

CONNECTION HARDWARE

T-CONNECTOR

36664-88L00-000 019

T-connectors link all compatible cables, data and sensor devices, and can be easily secured.

TERMINATOR FEMALE

36665-88L00-000 020

120-ohm terminators are required for any open cable ends in the system.

TERMINATOR MALE

36665-88L10-000 021

120-ohm terminators are required for any open cable ends in the system.

ADAPTER HARNESS TO N NETWORK

36666-88L00-000 022

(Black network to Blue devices) Allows connection to other NMEA devices (Device NET).

ADAPTER HARNESS TO L NETWORK

36666-88L10-000 023

(Blue network to Black devices)

SENSORS

FLUID LEVEL SENSOR WITH A T-CONNECTOR

34810-88L00-000 024

Monitors the fluid levels such as fuel, live well water level. etc. 10ft cable.

SPEED SENSOR WITH A T-CONNECTOR

34190-88L00-000 025

Paddle wheel-type speed sensor. 10ft cable.

WATER TEMPERATURE SENSOR WITH A T-CONNECTOR

34455-88L00-000 026

Surface-water temperature sensor. 10ft cable.

34455-88L10-000 027

(Thru-Hull type)

WATER PRESSURE SENSOR WITH A T-CONNECTOR

34960-88L00-000 028

GPS RECEIVER MODULE WITH A T-CONNECTOR

39950-88L00-000 029

Displays the accurate location and speed on multi-function gauges.

CONNECTION CABLE

The extension cable is the mainline of SMIS. Data communication runs the length of the boat, capped at each and with a 120-ohm terminator. NMEA2000® compatible sensors or other devices can be added by the use of T-connectors throughout the system.

EXTENSION CABLE

36662-88L10-000
2 feet

36662-88L20-000 030
6 feet

36662-88L30-000
15 feet

36662-88L00-000
25 feet

Example of Connection for DF250A/300A with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines' and stations', and all optional items)

NOTE: (*1): The required or recommended quantities are shown. Numbers in round-parentheses show the required ones if equipped in the package, the total number of the T-connectors enclosed in them may be short to therequired quantity.
(*2): While some of SMIS items have a T-connector in the package, the total number of the T-connectors enclosed in them may be short to therequired quantity.
(*3): SMIS adapter is required only for DF9.9B/15A/20A.

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number
						1	2	3	1			2			3			
						station(s)												
						1	1	1	2 total	1st	2nd	2 total	1st	2nd	2 total	1st	2nd	
				4"	2"	required quantity per boat (*1)												
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L02-000
		4" Gauge Kit	3	KIT														34011-88L02-000
	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L01-000
engine interface	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L01-000
	❹	Engine Interface Adapter for single DF300 engine only	0			1			1	1								36661-98J10-000
		Engine Interface Adapter for dual DF300 engine only	0				1					1	1					36661-98J20-000
		Engine Interface Adapter for triple DF300 engine only	0					1							1	1		36661-98J30-000
power cable	❺	Power Cable	1	1	1	1	1	1	1	1		1	1		1	1		36663-88L00-000
connection cable	❻	Extension Cable 2 feet	0			1	2	3	2	1	1	3	2	1	4	3	1	36662-88L10-000
		Extension Cable 6 feet	0															36662-88L20-000
		Extension Cable 15 feet	0															36662-88L30-000
		Extension Cable 25 feet	0	0	1													36662-88L00-000
connection hardware	❼	T-Connector (*2)	1	3	3	4 (*1)	7 (*1)	10 (*1)	6 (*1)	4	2	11 (*1)	7	4	16 (*1)	10	6	36664-88L00-000
	❽	Terminator Female	0	1	1	1	1	1	1		1	1		1	1		1	36665-88L00-000
	❾	Terminator Male	0	1	1	1	1	1	1	1		1	1		1	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
optional trim		4" bezel, chrome (6 pieces in one package)	0															34193-88L00-000
		4" bezel, white (6 pieces in one package)	0															34193-88L20-000
		2" bezel, chrome (6 pieces in one package)	0															34193-88L40-000
		2" bezel, white (6 pieces in one package)	0															34193-88L60-000

Example of Connection for DF9.9BR/15AR/20AR/40A-250 with SMIS Multi-Function Gauge

(in case of equipping the same quantities of 4" and 2" gauges as engines' and stations', and all optional items)

category	Ref. #	part name	Number of T-connector Included	Contents of Gauge Kit		engine(s)												part number
						1	2	3	1			2			3			
						station(s)												
						1	1	1	2 total	1st	2nd	2 total	1st	2nd	2 total	1st	2nd	
				4"	2"	required quantity per boat (*1)												
SMIS multi-function gauge	❶	4" SMIS Multi-Function Gauge with a gray bezel	1	1		1	2	3	2	1	1	4	2	2	6	3	3	34200-88L02-000
		4" Gauge Kit	3	KIT														34011-88L02-000
	❷	2" SMIS Multi-Function Gauge with a gray bezel	1		1	1	2	3	2	1	1	4	2	2	6	3	3	34800-88L01-000
engine interface	❸	Engine Interface unit	1	1	1	1	2	3	1	1		2	2		3	3		34922-88L01-000
power cable	❺	Power Cable	1	1	1	1	1	1	1	1		1	1		1	1		36663-88L00-000
	❿	Power Node for multiple engine of DF40-250 only	1				1	1				1	1		1	1		36663-88L10-000
connection cable	❻	Extension Cable 2 feet	0			1	2	3	2	1	1	3	2	1	4	3	1	36662-88L10-000
		Extension Cable 6 feet	0															36662-88L20-000
		Extension Cable 15 feet	0															36662-88L30-000
		Extension Cable 25 feet	0	0	1													36662-88L00-000
connection hardware	❼	T-Connector (*2)	1	3	3	4 (*1)	7 (*1)	10 (*1)	6 (*1)	4	2	11 (*1)	7	4	16 (*1)	10	6	36664-88L00-000
	❽	Terminator Female	0	1	1	1	1	1	1		1	1		1	1		1	36665-88L00-000
	❾	Terminator Male	0	1	1	1	1	1	1	1		1	1		1	1		36665-88L10-000
		Adapter Harness to N network (Black network to Blue devices)	0															36666-88L00-000
		Adapter Harness to L network (Blue network to Black devices)	0															36666-88L10-000
sensor		Fluid Level Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34810-88L00-000
		Speed Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34190-88L00-000
		Water Temperature Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L00-000
		Water Temperature Sensor (Thru-Hull type)	1			(1)	(1)	(1)	(1)			(1)			(1)			34455-88L10-000
		Water Pressure Sensor	1			(1)	(1)	(1)	(1)			(1)			(1)			34960-88L00-000
		GPS Receiver Module	1			(1)	(1)	(1)	(1)			(1)			(1)			39950-88L00-000
optional trim		4" bezel, chrome (6 pieces in one package)	0															34193-88L00-000
		4" bezel, white (6 pieces in one package)	0															34193-88L20-000
		2" bezel, chrome (6 pieces in one package)	0															34193-88L40-000
		2" bezel, white (6 pieces in one package)	0															34193-88L60-000
adapter cable	⓫	SMIS adapter (*3)	0			1	2	3	1	1		2	2		3	3		36668-88L00-000

SINGLE ENGINE OF DF250A/300A



DUAL ENGINE OF DF250A/300A



TRIPLE ENGINE OF DF250A/300A



SINGLE ENGINE OF DF9.9BR/15AR/ 20AR/40A-250

(*3)



DUAL ENGINE OF DF9.9BR/15AR/ 20AR/40A-250



TRIPLE ENGINE OF DF9.9BR/15AR/ 20AR/40A-250



: Single Station : First & Second Station

ANALOG INSTRUMENT

Caution lamp	Caution type
CHECK ENGINE	Low battery-voltage or Other cautions on S.D.S
TEMP	Overheat (Over-revolution)
OIL	Low oil-pressure (Over-revolution)
	Oil change reminder
REV LIMIT	Over-revolution

TACHOMETER

34200-93J11-000 031

Gauge Size	4”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J50-000 033

Gauge Size	4”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-140A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

34200-93J31-000 035

Gauge Size	4”
Background	White
Applicable Model	DF8AR/9.9T/9.9AR/9.9BR/ 15AR/20AR/25R,DT30R/ 40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

34200-93J00-000 032

Gauge Size	4”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Caution systems alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

34200-93J40-000 034

Gauge Size	4”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-140A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

34200-93J20-000 036

Gauge Size	4”
Background	Black
Applicable Model	DF8AR/9.9T/9.9AR/9.9BR/ 15AR/20AR/25R,DT30R/ 40WR

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

SPEEDOMETER

34100-93J11-000 037

Gauge Size	4”
Background	White
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J00-000 038

Gauge Size	4”
Background	Black
Maximum Speed	130km/h, 80mph
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J31-000 039

Gauge Size	4”
Background	White
Maximum Speed	80km/h, 50mph
Applicable Model	DF8AR/9.9AR/9.9BR/15AR 20AR/25R/40AT/50AT/60AT 70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.



34100-93J20-000 040

Gauge Size	4”
Background	Black
Maximum Speed	80km/h, 50mph
Applicable Model	DF8AR/9.9AR/9.9BR/15AR 20AR/25R/40AT/50AT/60AT 70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J51-000 041

Gauge Size	4”
Background	White
Maximum Speed	80km/h, 45knots
Applicable Model	DF8AR/9.9AR/9.9BR/15AR 20AR/25R/40AT/50AT/60AT 70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J40-000 042

Gauge Size	4”
Background	Black
Maximum Speed	80km/h, 45knots
Applicable Model	DF8AR/9.9AR/9.9BR/15AR 20AR/25R/40AT/50AT/60AT 70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

34100-93J60-000 043

Gauge Size	4”
Background	White
Maximum Speed	120km/h, 65knots
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

SPEEDOMETER SENDER ASSY



34190-95500-000 044

Applicable Model	DF9.9T/25R/40AT/50AT/60AT/70AT/80AT/90AT/ 100A-300A,DT30R/40WR

34190-87D00-000 045

Applicable Model	DF25R/40AT/50AT/60AT/70AT/80AT/90AT/ 100A-250T/Z, DT30R/40WR

ANALOG INSTRUMENT

TRIM GAUGE

34800-93J11-000 046

Gauge Size	2”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

34800-93J00-000 047

Gauge Size	2”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE

34300-93J11-000 048

Gauge Size	2”
Background	White
Applicable Model	DF8AR/9.9AR/9.9BR/9.9T/ 15AR/20AR/25R/40AT/50AT/ 60AT/70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Ω sending unit. Use the 150Ω adaptor to connect the gauge to a European standard sending unit.

34300-93J00-000 049

Gauge Size	2”
Background	Black
Applicable Model	DF8AR/9.9AR/9.9BR/9.9T/ 15AR/20AR/25R/40AT/50AT/ 60AT/70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

FUEL GAUGE alone works with the US Standard 250Ω sending unit. Use the 150Ω adaptor to connect the gauge to a European standard sending unit.

HOUR METER

34500-93J11-000 050

Gauge Size	2”
Background	White
Applicable Model	DF8AR/9.9AR/9.9BR/9.9T/ 15AR/20AR/25R/40AT/50AT/ 60AT/70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

34500-93J00-000 051

Gauge Size	2”
Background	Black
Applicable Model	DF8AR/9.9AR/9.9BR/9.9T/ 15AR/20AR/25R/40AT/50AT/ 60AT/70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

12-volt-electric-motor-driven meter indicates hours that your outboard motor has been operated in order for you to know when each periodic service is required.

VOLTMETER

34600-93J11-000 052

Gauge Size	2”
Background	White
Applicable Model	DF8AR/9.9AR/9.9BR/9.9T/ 15AR/20AR/25R/40AT/50AT/ 60AT/70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

34600-93J00-000 053

Gauge Size	2”
Background	Black
Applicable Model	DF8AR/9.9AR/9.9BR/9.9T/ 15AR/20AR/25R/40AT/50AT/ 60AT/70AT/80AT/90AT/ 100A-250T/Z,DT30R/40WR

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE

34650-93J31-000 054

Gauge Size	2”
Background	White
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an approriate INSTALLATION KIT for each model.

34650-93J20-000 055

Gauge Size	2”
Background	Black
Applicable Model	DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

Bourdon-tube type gauge measures cooling-water pressure. Select an approriate INSTALLATION KIT for each model.

INSTALLATION KIT for WATER-PRESSURE GAUGE



34660-90J02-000

Applicable Model	DF40AT/50AT/60AT/70AT/80AT/90AT/ 100A-140A

34660-96J00-000

Applicable Model	DF150T/Z/175T/Z

34660-93J00-000 056

Applicable Model	DF200T/Z-250T/Z

KIT includes fittings and hoses needed for motor to gauge connection.

SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM

057

058

059

REMOTE-CONTROL KIT for SINGLE ENGINE

SINGLE STATION		STATION	DUAL STATION			
67000-98J08-000 - 67000-98J67-000		BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT	First Station 67000-98J08-000 - 67000-98J67-000	+	Second Station 67000-98J18-000	
DF300A DF250A	QTY	Applicable Model Contents:	DF300A DF250A		DF300A DF250A	QTY
67200-98J03-000 057 - 67200-98J22-000 058	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX	67200-98J03-000 057 - 67200-98J22-000 058	1	67200-98J03-000 057 -	1 2
37100-98J03-000 060	1	MAIN SWITCH PANEL	37100-98J03-000 060	1	-	- 1
37100-98J11-000 061	1	CONTROL PANEL	37100-98J11-000 061	1	37100-98J11-000 061	1 2
38500-93J90-000 092	1	WARNING BUZZER	38500-93J90-000 092	1	38500-93J90-000 092	1 2
09407-08401-000	1	WARNING-BUZZER CLAMP	09407-08401-000	1	09407-08401-000	1 2
-	-	EMERGENCY SWITCH PANEL	-	-	37803-93J03-000 086	1 1
36625-98J10-000 073	1	BATTERY LEAD	36625-98J10-000 073	1	-	- 1
36770-98J10-000 064	1	BOAT CONTROL MODULE (BCM)	36770-98J10-000 064	1	36770-98J02-000 064	1 2
36775-98J00-000 065	1	BCM HOLDER (L)	36775-98J00-000 065	1	36775-98J00-000 065	1 2
36776-98J00-000 066	1	BCM HOLDER (R)	36776-98J00-000 066	1	36776-98J00-000 066	1 2
33911-88BL0-000 067	1	BCM-CONNECT CAP	33911-88BL0-000 067	1	33911-88BL0-000 067	1 2
33925-93J00-000 068	1	BCM CUSHION	33925-93J00-000 068	1	33925-93J00-000 068	1 2
36623-98J20-000 075	1	BCM #1 WIRING HARNESS	36623-98J20-000 075	1	-	- 1
-	-	BCM #2 WIRING HARNESS	-	-	36624-98J02-000 076	1 1
33926-98J00-000 074	2	TERMINAL RESISTOR	33926-98J00-000 074	2	-	- 2
-	-	ENGINE WIRING HARNESS	-	-	-	- -
-	-	DUAL-STATION WIRING HARNESS	-	-	36622-98J00-000 072	1 1
09403-13402-000	10	HARNESS CLAMP	09403-13402-000	10	09403-13402-000	10 20
37860-87L00-000 090	1	TROLL MODE SWITCH PANEL	37860-87L00-000 090	1	37860-87L00-000 090	1 2

REMOTE-CONTROL KIT for DUAL ENGINE

SINGLE STATION		STATION	DUAL STATION			
67000-98J28-000 - DF300A DF250A	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	First Station 67000-98J28-000 DF300A DF250A	+	Second Station 67000-98J38-000 DF300A DF250A	QTY
67200-98J13-000 059 - -	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX	67200-98J13-000 059 - -	1	67200-98J13-000 059 - -	1 2
37100-98J03-000 060	1	MAIN SWITCH PANEL	37100-98J03-000 060	1	-	- 1
37100-98J21-000 062	1	CONTROL PANEL	37100-98J21-000 062	1	37100-98J21-000 062	1 2
38500-93J90-000 092	1	WARNING BUZZER	38500-93J90-000 092	1	38500-93J90-000 092	1 2
09407-08401-000	1	WARNING-BUZZER CLAMP	09407-08401-000	1	09407-08401-000	1 2
-	-	EMERGENCY SWITCH PANEL	-	-	37803-93J03-000 086	1 1
36625-98J10-000 073	1	BATTERY LEAD	36625-98J10-000 073	1	-	- 1
36770-98J10-000 064	1	BOAT CONTROL MODULE (BCM)	36770-98J10-000 064	1	36770-98J10-000 064	1 2
36775-98J00-000 065	1	BCM HOLDER (L)	36775-98J00-000 065	1	36775-98J00-000 065	1 2
36776-98J00-000 066	1	BCM HOLDER (R)	36776-98J00-000 066	1	36776-98J00-000 066	1 2
-	-	BCM-CONNECT CAP	-	-	-	- -
33925-93J00-000 068	1	BCM CUSHION	33925-93J00-000 068	1	33925-93J00-000 068	1 2
36623-98J30-000	1	BCM #1 WIRING HARNESS	36623-98J30-000	1	-	- 1
-	-	BCM #2 WIRING HARNESS	-	-	36624-98J11-000	1 1
33926-98J00-000 074	2	TERMINAL RESISTOR	33926-98J00-000 074	2	-	- 2
36621-98J00-000 071	1	ENGINE WIRING HARNESS	36621-98J00-000 071	1	-	- 1
-	-	DUAL-STATION WIRING HARNESS	-	-	36622-98J00-000 072	1 1
09403-13402-000	15	HARNESS CLAMP	09403-13402-000	15	09403-13402-000	10 25
37860-87L00-000 090	1	TROLL MODE SWITCH PANEL	37860-87L00-000 090	1	37860-87L00-000 090	1 2

REMOTE-CONTROL KIT for TRIPLE ENGINE

SINGLE STATION		STATION	DUAL STATION			
67000-98J48-000 - DF300A DF250A	QTY	BINNACLE-MOUNT CONTROL KIT or FLUSH-MOUNT CONTROL KIT Applicable Model Contents:	First Station 67000-98J48-000 DF300A DF250A	+	Second Station 67000-98J58-000 DF300A DF250A	QTY
67200-98J13-000 059 - -	1	BINNACLE MOUNT R/C BOX or FLUSH MOUNT R/C BOX	67200-98J13-000 059 - -	1	67200-98J13-000 059 - -	1 2
37100-98J03-000 060	1	MAIN SWITCH PANEL	37100-98J03-000 060	1	-	- 1
37100-98J31-000 063	1	CONTROL PANEL	37100-98J31-000 063	1	37100-98J31-000 063	1 2
38500-93J90-000 092	1	WARNING BUZZER	38500-93J90-000 092	1	38500-93J90-000 092	1 2
09407-08401-000	1	WARNING-BUZZER CLAMP	09407-08401-000	1	09407-08401-000	1 2
-	-	EMERGENCY SWITCH PANEL	-	-	37803-93J03-000 086	1 1
36625-98J10-000 073	1	BATTERY LEAD	36625-98J10-000 073	1	-	- 1
36770-98J10-000 064	1	BOAT CONTROL MODULE (BCM)	36770-98J10-000 064	1	36770-98J10-000 064	1 2
36775-98J00-000 065	1	BCM HOLDER (L)	36775-98J00-000 065	1	36775-98J00-000 065	1 2
36776-98J00-000 066	1	BCM HOLDER (R)	36776-98J00-000 066	1	36776-98J00-000 066	1 2
-	-	BCM-CONNECT CAP	-	-	-	- -
33925-93J00-000 068	1	BCM CUSHION	33925-93J00-000 068	1	33925-93J00-000 068	1 2
36623-98J30-000	1	BCM #1 WIRING HARNESS	36623-98J30-000	1	-	- 1
-	-	BCM #2 WIRING HARNESS	-	-	36624-98J11-000	1 1
33926-98J00-000 074	2	TERMINAL RESISTOR	33926-98J00-000 074	2	-	- 2
36621-98J10-000	1	ENGINE WIRING HARNESS	36621-98J10-000	1	-	- 1
-	-	DUAL-STATION WIRING HARNESS	-	-	36622-98J00-000 072	1 1
09403-13402-000	18	HARNESS CLAMP	09403-13402-000	18	09403-13402-000	10 28
37860-87L00-000 090	1	TROLL MODE SWITCH PANEL	37860-87L00-000 090	1	37860-87L00-000 090	1 2

SUZUKI PRECISION CONTROL

ELECTRONIC THROTTLE AND SHIFT SYSTEM

MAIN SWITCH PANEL

37100-98J03-000 060
Single ignition with Emergency-stop switch
Applicable Model DF250A/300A

CONTROL PANEL

37100-98J11-000 061
for Single-Engine
Applicable Model DF250A/300A

37100-98J21-000 062
for Dual-Engine
Applicable Model DF250A/300A

37100-98J31-000 063
for Triple-Engine
Applicable Model DF250A/300A

BOAT CONTROL MODULE (BCM)

36770-98J10-000 064
Applicable Model DF250A/300A

BCM HOLDER (L/R)



36775-98J00-000 065
Applicable Model DF250A/300A

36776-98J00-000 066
Applicable Model DF250A/300A

BCM-CONNECT CAP

33911-88BL0-000 067
Applicable Model DF250A/300A

BCM CUSHION

33925-93J00-000 068
Applicable Model DF250A/300A

CONNECTION BETWEEN ENGINE AND CONTROL SYSTEM

MAIN WIRING HARNESS

36620-98J30-000 069
6.5 meters for control system
Applicable Model DF250A/300A

36620-98J40-000
9.5 meters for control system
Applicable Model DF250A/300A

MAIN-WIRING-HARNESS EXTENSION

36620-98J50-000 070
2.0 meters for control system
Applicable Model DF250A/300A

ENGINE WIRING HARNESS



36621-98J00-000 071
for Dual engines
Applicable Model DF250A/300A

36621-98J10-000
for Triple engines
Applicable Model DF250A/300A

DUAL-STATION WIRING HARNESS

36622-98J00-000 072
for Dual-station control system
Applicable Model DF250A/300A

BATTERY LEAD

36625-98J10-000 073
6.5 meters
Applicable Model DF250A/300A

TERMINAL RESISTOR

33926-98J00-000 074
Applicable Model DF250A/300A

BCM #1 WIRING HARNESS

36623-98J20-000 075
for Single engine and Single (First) station
Applicable Model DF250A/300A

36623-98J30-000
for Multiple engines and Single (First) station
Applicable Model DF250A/300A

BCM #2 WIRING HARNESS

36624-98J02-000 076
for Single engine and Second station
Applicable Model DF250A/300A

36624-98J11-000
for Multiple engines and Second station
Applicable Model DF250A/300A

MECHANICAL REMOTE CONTROL SYSTEM

REMOTE-CONTROL KIT for SINGLE ENGINE + SINGLE STATION

67000-93J04-000		67000-93J47-000		-	
-		-		67000-93J25-000	
-		-		-	
DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z		DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z		DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z	
	QTY		QTY		QTY
67200-93J13-000 077	1	67200-93J13-000 077	1	-	-
-	-	-	-	67200-93J32-000 079	1
-	-	-	-	-	-
-	-	34200-93J11-000 031	1	-	-
-	-	34800-93J11-000 046	1	-	-
-	-	36620-93J02-000	1	-	-
-	-	-	-	-	-
37100-96J23-000 088	1	37100-96J23-000 088	1	37100-96J23-000 088	1

REMOTE-CONTROL KIT for DUAL ENGINE + SINGLE STATION

-		-	BINNACLE-MOUNT CONTROL KIT	67000-93J14-000		67000-93J57-000	
67000-93J68-000		-	FLUSH-MOUNT CONTROL KIT	-		-	
-		67000-93J78-000	SIDE-MOUNT CONTROL KIT	-		-	
DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z		DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z	Applicable Model	DF100A-250T/Z		DF100A-250T/Z	
	QTY		Contents		QTY		QTY
-	-	-	BINNACLE MOUNT R/C BOX	67200-93J23-000 078	1	67200-93J23-000 078	1
67200-93J32-000 079	1	-	FLUSH MOUNT R/C BOX	-	-	-	-
-	-	67200-93J06-000	SIDE MOUNT R/C BOX	-	-	-	-
34200-93J11-000 031	1	34200-93J11-000 031	TACHOMETER (Background: White)	-	-	34200-93J11-000 031	2
34800-93J11-000 046	1	34800-93J11-000 046	TRIM GAUGE (Background: White)	-	-	34800-93J11-000 046	2
36620-93J02-000	1	36620-93J02-000	MAIN WIRING HARNESS	-	-	36620-93J02-000	2
-	-	-	MAIN-WIRING-HARNESS EXTENSION	-	-	36620-93J10-000	1
37100-96J23-000 088	1	-	IGNITION SWITCH PANEL	37100-96J13-000 088	1	37100-96J13-000 088	1

BINNACLE-MOUNT REMOTE CONTROL BOX

67200-93J13-000 077

Single-engine

Applicable Model DF8A/R-20A/R/25R/40AT/50AT/TH/60AT/TH/QH/70AT/80AT/90AT/100A-250T/Z,DT40WR

BINNACLE-MOUNT REMOTE CONTROL BOX

67200-93J23-000 078

Dual-engine

Applicable Model DF100A-250T/Z

FLUSH-MOUNT REMOTE CONTROL BOX

67200-93J32-000 079

Single-engine

Applicable Model DF25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

SIDE-MOUNT REMOTE CONTROL BOX

67200-91J02-000

Single-engine

Applicable Model DF4-6

67200-94J15-000 080

Single-engine

Applicable Model DF8AR-25R,DT40WR/WK

67200-93J06-000

Single-engine

Applicable Model DF40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

67200-97E44-000

Single-engine

Applicable Model DT25K/30/R/40WR/WK

SPACER KIT for REMOTE CONTROL BOX

67500-93J00-000 081

for Single Binnacle-mount type

Applicable Model DF8A/R-20A/R/25R/40AT/QH/50AT/TH-250T/Z



67500-93J10-000 082

for Dual Binnacle-mount type

Applicable Model 100A-250T/Z

BATTERY LEAD

36625-93J10-000 084

6.7 meters

Applicable Model DF150T/Z-250T/Z

CONNECTION between ENGINE and CONTROL SYSTEM

MAIN WIRING HARNESS

36620-93J51-000

5.0 meters for Control system

Applicable Model DF40A-250T/Z

36620-93J02-000 083

6.5 meters for Control system

Applicable Model DF40A-250T/Z

36620-93J62-000

8.0 meters for Control system

Applicable Model DF40A-250T/Z

36620-94J01-000

6.5 meters for Control system without Monitor-signal wire,
Trim-sender wire and PTT-SW wire

Applicable Model DF8A/R-25/R/Q,DT40WR/WK

MAIN-WIRING-HARNESS EXTENSION

36620-93J10-000

2.0 meters for Control system

Applicable Model DF9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

36620-93J40-000

3.0 meters for Control system

Applicable Model DF9.9BR/15AR/20AR/25R/40AT/50AT/60AT/70AT/80AT/90AT/100A-250T/Z

MECHANICAL REMOTE CONTROL SYSTEM

SWITCH PANEL

IGNITION SWITCH PANEL

37100-96J00-000 085

Single ignition

Applicable Model DF9.9BR/15AR/20AR/25R/ 40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z, DT40WR/WK

37100-99E00-000

Single ignition

Applicable Model DT30/R

EMERGENCY SWITCH PANEL

37803-93J03-000 086

Applicable Model DF9.9BR/15AR/20AR/25R/ 40AT/50AT/60AT/70AT/ 80AT/90AT/100A-300A

37803-99E03-000

Applicable Model DT30/R

LIGHTING SWITCH PANEL

37210-93J00-000 087

Applicable Model DF9.9BR/15AR/20AR/25R/ 40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z, DT30/R/40W/WR/WK

IGNITION SWITCH PANEL

37100-96J23-000 088

Single ignition with Emergency-stop switch

Applicable Model DF9.9BR/15AR/20AR/25R/ 40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z, DT40WR/WK

TROLL MODE SWITCH PANEL

37860-87L00-000 090

Applicable Model DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-140A/ 250A/300A

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

IGNITION SWITCH PANEL

37100-96J13-000 089

Dual ignition with Emergency-stop switch

Applicable Model DF100A-250T/Z

PTT SWITCH PANEL

37805-93J00-000 091

Applicable Model DF40AT/50AT/60AT/70AT/ 80AT/90AT/100A-250T/Z

WARNING BUZZER

38500-93J90-000 092

Applicable Model DF9.9BR/15AR/20AR/25R/ 40AT/QH-300A

THRU-HULL-HOSE ATTACHMENT



67300-90J00-000

Applicable Model DF70AT/TH-140A

67300-93J00-000 093

Applicable Model DF150T/Z-300A

TWIN REMOCON ATTACHMENT KIT



67140-95600-000 094

Applicable Model DF8AR/9.9AR/9.9T/TH/9.9BR/ 15AR/20AR/40AT/50AT/60AT/ 70AT/80AT/90AT/ 100A-250T/Z,DT9.9/K/15/K/ 40W/WR/WK

REMOTE-CONTROL CABLE

67320-93J00-000 095

8 feet 2.44 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J10-000

10 feet 3.05 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J20-000

12 feet 3.66 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J30-000

14 feet 4.27 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J40-000

16 feet 4.88 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J50-000

18 feet 5.49 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J60-000

20 feet 6.10 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J70-000

22 feet 6.71 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

67320-93J80-000

24 feet 7.32 meters

Applicable Model DF4-250T/Z, DT9.9-40WR

GENUINE REMOTE-CONTROL CABLES employ the latest in cable technology. The inner core is encased in nylon, and travels back and forth in a high-density polyethylene liner.

REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.



67130-91J01-000 096

Applicable Model DF4-6

67130-94J11-000

Applicable Model DF9.9TH

67130-95J02-000 097

Applicable Model DF25

67130-99J00-000

Applicable Model DF8A/9.9A

CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J00-000.

CLAMP BRACKET SET

41100-99J00-0EP

Applicable Model DF8A/8AR/9.9A/9.9AR

STEERING

TILLER HANDLE KIT

Main features



Tachometer with warning indicators

- Digital tachometer with indicators for the first time of all the tiller handles in the marine industry.
- The check pattern panel makes the digital tachometer display clearly visible.
- Reliable for the critical information from the warning indicators.
- 3 digits digital tachometer shows RPM during cruising or trolling.

Shift lever

- Round shape for comfortable grip.
- Moderate shifting feeling.

63002-88L20-0EP 098
Applicable Model DF40A/ 50A

63002-88L10-0EP 099
Applicable Model DF60A

63002-87L10-0EP 100
Applicable Model DF70A-90A

63002-90J30-0EP 101
with Adjustable Steering Damper
Applicable Model DF100A/115A

Angle adjustable bracket

- The angle adjustable bracket changes the basic handle position in three levels.

That will help better handle positioning in accordance with user's boat.

Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.



Power trim & tilt switch and throttle grip friction adjuster

- The PTT switch at the toe of the grip bar helps users to control the trim position and throttling at the same time.
- The throttle grip friction adjuster at the base of the grip bar supports user's throttle control.

TILLER HANDLE KIT



The conventional kits are also applicable.

63002-88L03-0EP
Applicable Model DF40A-60A

63002-87L02-0EP
Applicable Model DF70A-90A

63002-90J26-0EP 102
with Adjustable Steering Damper
Applicable Model DF100A/115A

CONTENTS: Ignition switch, Engine-stop switches, Wiring harness, Cables and Grommets
TILLER HANDLE KITS are designed for easy installation for selected electric start models.

DUAL-ENGINE TIE-BAR

67600-90J00-000 103
Stainless steel
Applicable Model DF100A-140A

67600-93J00-000
Stainless steel
Applicable Model DF150T/Z-250T/Z

STEERING EXTENSION KIT



67630-93J00-000 104
for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)
Applicable Model DF150T/Z-250T/Z

STEERING-CABLE ATTACHMENT

41141-89E00-000 105
Applicable Model DF9.9T/TH, DT9.9-15K
Must be used when installing through-tilt-tube steering to ensure steering angles equally to the right and left.

STEERING-BRACKET SUB-ATTACHMENT

67720-93E00-000 106
Applicable Model DF9.9TH

STEERING CABLE SEAL



41161-94400-000 107
Applicable Model DF8AR/9.9AR/9.9T/9.9B/ R-20A/R/25R/40A-250T/Z, DT9.9-40WR

STEERING-BRACKET ATTACHMENT

43755-94J01-000 108
Applicable Model DF9.9TH

43755-94JA0-000
Applicable Model DF9.9T

43755-95J01-000
Applicable Model DF25Q/R

Used to connect DRAG LINK.

DRAG-LINK KIT

67700-87L00-000
Applicable Model DF70A-90A

67700-93J00-000
Applicable Model DF40AQH/50ATH/60AT/TH/ QH/200T/Z-250T/Z

67700-95J01-000
Applicable Model DF25/R/Q

67700-96J00-000
Applicable Model DF150T/Z/175T/Z

67701-87J11-000
Applicable Model DF40AT/QH-60AT/TH/QH/ 200T/Z-250T/Z

67701-87L00-000
Applicable Model DF70AT-90AT/TH

67701-90J00-000
Applicable Model DF100A-140A

67701-93E12-000 109
Applicable Model DF9.9T/TH

67701-94JA0-000
Applicable Model DF9.9T

67701-95J00-000
Applicable Model DF25/R/Q

67701-96J00-000
Applicable Model DF150T/Z/175T/Z

67701-94420-000
Applicable Model DT25K/30/R

Recommended STEERING SYSTEM supplied by Teleflex MARINE www.teleflexmarine.com

Order taking, delivery, technical support and warranty for these products are handled by Teleflex.
Please consult to local Teleflex distributor or dealer if you need more detail for product information, price, availability and all business terms.

STEERING KIT

BayStar™

SeaStar®

SeaStar PA®

BAYSTAR

BAYSTAR OUTBOARD SYSTEM - HK4645H

System comprises:	
BayStar Helm 1.4cu" (22.94cc)	HH4314
BayStar Compact Cylinder	HC4645H*
20ft "cut to length" tubing kit	HT4420H
2 x l litre hydraulic oil	HO5430

*Note: 115-140hp four stroke 2001 to current model require HC4658H

SEASTAR

SEASTAR OUTBOARD SYSTEM - HK6400

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x l litre hydraulic oil	HO5430
Note: 1 x SeaStar hose kits must be ordered separately	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

SEASTAR POWER ASSIST

SEASTAR OUTBOARD POWER ASSIST SYSTEM

System comprises:	
SeaStar Helm 1.7cu" (27.80cc)	HH5271
SeaStar Pivot Cylinder	HC5345*
2 x l litre hydraulic oil	HO5430
SeaStar 12v Power Assist Unit	PA1200-2
Note: 2 x SeaStar hose kits must be ordered separately	

*Note: 115-140hp 1996 only requires HC5348, 40-140hp four stroke 1998 to current model and 90hp four stroke 2003 to current model require HC5358.

*For further application information please refer to www.teleflexmarine.com


75 HP
115 HP
150 HP
200 HP
250 HP
300 HP
300 HP+
BAYSTAR
OPTIMUM
MAXIMUM
SEASTAR OUTBOARD SYSTEM
OPTIMUM
MAXIMUM
SEASTAR POWER ASSIST OUTBOARD SYSTEM
OPTIMUM
MAXIMUM
As specialists in the art of steering, Teleflex Marine take the recommendation of steering systems very seriously especially as modern outboard engines become more powerful. Unlike other steering manufacturers we prefer to make systems recommendations based on "optimum comfort"

TIE-BAR KIT

Features

General purpose system.
Single and multiple engine capability.
Total power up to 700 HP *counter-rotating.
Independent engine tilt for twin engine
Easy steering.
5 turns lock to lock steering response.



Applications

Twin Engine Application for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		TWIN ENGINE SINGLE CYL.	TWIN ENGINE DUAL CYL.	
DF40A/50A/60A	HC5358	HO6003	HO6002	Requires kit HO5090
DF70A/80A/90A	HC5358	HO6003	HO6002	Requires kit HO5090
DF100	HC5358	HO6003	HO6002	Requires kit HO5090
DF115/140	HC5358	HO6003	HO6002	Requires kit HO5090
DF150/175	HC5345	HO6003	HO6002	
DF200/225/250	HC5345	HO6003	HO6002	
DF300	HC5345	HO6003	HO6002	

Triple Engine Configuration for Suzuki Outboard Motors

MODEL (4-CYCLE)	CYLINDER	TIE BAR KITS		NOTES
		PORT ENGINE TO DRIVE CYL.	STARBOARD ENGINE TO DRIVE CYL.	
DF150/175	HC5345	HO6003	HO6002	See notice
DF200/225/250	HC5345	HO6003	HO6002	See notice
DF300	HC5345	HO6003	HO6002	See notice

Notice : Two cylinders are required to operate a triple engine set up.

ELECTRICAL PARTS

ELECTRIC STARTER KIT



31000-94J02-000
Applicable Model DF9.9T/TH

31000-95J10-000 110
Applicable Model DF25/Q

31000-99J00-000
Applicable Model DF8A/9.9A

Converts MZ model into ME model.

BATTERY CHARGING KIT

32000-91J00-000
80W
Applicable Model DF4-6

32000-94J01-000
80W
Applicable Model DF9.9T/TH

32000-95J01-000
80W
Applicable Model DF25/Q

32000-99J00-000
80W
Applicable Model DF8A/9.9A

COUNTER SELECT CONNECTOR

36612-98J00-000
Applicable Model DF300A /250A

Converts T specification into Z specification.

RECTIFIER SET



32801-91J00-000 111
Applicable Model DF4-6



32801-94J01-000 112
Applicable Model DF9.9T/TH



32801-95J01-000 113
Applicable Model DF8A/9.9A/25/Q

32801-96304-000 114
Applicable Model DT25K/30

32801-94402-000 115
Applicable Model DT40W/40WR/40WK

RECEPTACLE KIT



39600-91J00-000 116
Applicable Model DF4-6

39600-94J01-000 117
Applicable Model DF8A/9.9A/9.9T/TH/15A/R/20A/R

39600-95J01-000 118
Applicable Model DF25/Q

39600-93910-000 119
Applicable Model DT9.9/K-40W/WR/WK

STARTER MOTOR SET

31101-96320-0EP 120
Applicable Model DT30

BATTERY ISOLATOR LEAD SET

33830-96J00-000 121
Applicable Model DF150T/Z/175T/Z

33830-98J10-000
Applicable Model DF300A/250A

STATOR & PULSER COIL COMPONENT



32120-94J10-000
12V, 120W
Applicable Model DF9.9T/TH

32120-95J00-000 122
12V, 180W
Applicable Model DF25/Q

Raises the standard output (12V, 80W) to a larger output (12V, 120 or 180W).

FLYWHEEL

32102-96462-000 123
Applicable Model DT30

STARTING SWITCH & CABLE SET

33800-96304-000 124
Applicable Model DT25K

ANODE

ZINC ANODE for saltwater

41811-98500-000 125
Applicable Model DF9.9T/TH, DT9.9/K/15/K

55300-95500-000 126
Applicable Model DF8A-20A/40A-60A, DT9.9/K-40W/WR/WK

55320-95311-000 127
Applicable Model DF40A-60A

55321-93900-000 128
Applicable Model DF9.9T/TH, DT9.9/K/15/K

55125-96310-000 129
Applicable Model DF25/R/Q, DT25K/30/R

55321-90J01-000 130
Applicable Model DF100A-140A

ALUMINUM ANODE for brackish water, saltwater

55321-87J00-000 131
Applicable Model DF2.5-300A, DT9.9/K/15/K

55320-94900-000 132
Applicable Model DF60A-300A

55321-95J00-000 133
Applicable Model DF2.5/25/R/Q

55321-93J00-000 134
Applicable Model DF150-300A

55321-99E00-000 135
Applicable Model DF2.5/9.9T/TH

MAGNESIUM ANODE for freshwater

55321-87J10-000 136
Applicable Model DF2.5-300A

55321-94910-000 137
Applicable Model DF70A-300A

FUEL SYSTEM

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.

65000-99100-000 138
12-litre plastic tank with no fuel-level gauge
Applicable Model DF5-20A/R, DT9.9K/15K/25K/40WK

65000-95D01-000 139
25-litre plastic tank with a fuel-level gauge
Applicable Model DF5-140A, DT9.9/K-40W/WR/WK

REPLACEMENT FUEL CAP

NOTE : These caps do not meet US-EPA requirements.

65520-99100-000
for 12-litre tank with no fuel-level gauge
Applicable Model DF5-20A/R, DT9.9/K-40W/WR/WK

65520-95D00-000
for 25-litre tank with a fuel-level gauge
Applicable Model DF5-140A, DT9.9/K-40W/WR/WK

FUEL-HOSE SOCKET

65750-98505-000 140
Metal, Inner diameter: 11.2 mm
Applicable Model DF4-20A/R, DT9.9/K-40W/WR/WK

65750-87J11-000 141
Plastic, Inner diameter: 6.6 mm
Applicable Model DF4-25/R/Q

65750-95500-000 142
Metal, Inner diameter: 13.0 mm
Applicable Model DF8A/R-140A, DT9.9/K-40W/WR/WK

FUEL CONNECTOR (ENGINE SIDE)

65720-986B0-000 143
Plastic
Applicable Model DF4-25/R/Q

FUEL CONNECTOR (TANK SIDE)

65740-95D01-000 144
Outer diameter: 13 mm, 1/4"NPT
Applicable Model DF8A/R-140A, DT9.9/K-40W/WR/WK

SQUEEZE PUMP

65770-99J00-000 145
Small-in & Large-out
Applicable Model DF4-8A/R/9.9A/R, DT9.9K/25K/40WK

65770-90J10-000
Large-in & Large-out
Applicable Model DF8A/R/9.9A/R/15A/R-140A, DT9.9K/15/25K/40WK

65770-93J10-000
Large-in & Large-out
Applicable Model DF150T/Z-300A

65770-90L00-000
Large-in & Small-out
Applicable Model DT9.9/K-40W/WR/WK

SQUEEZE PUMP (Meets US-EPA requirements.)

65770-94J00-000
Small-in & Large-out
Applicable Model DF4-20A/R

65770-90J00-000
Large-in & Large-out
Applicable Model DF8A/R/9.9A/R/9.9B/R-140A

65770-93J00-000
Large-in & Large-out
Applicable Model DF150T/Z-300A

FUEL-HOSE COMPONENT

65700-94JD0-000
for 12-litre plastic tank to engine
Applicable Model DF4-8A/R/9.9A/R

65700-93J01-000 146
for fuel tank to engine
Applicable Model DF150T/Z-300A

65700-87J14-000
for 25-litre plastic tank to engine
Applicable Model DF8A-25/R/Q

65700-90J13-000
for 25-litre plastic tank to engine
Applicable Model DF40A-140A

65700-95D03-000
for 12-litre plastic tank to engine (gasoline)
Applicable Model DT9.9K/25K/40WK

65700-96362-000
for 25-litre plastic tank to engine (kerosene)
Applicable Model DT9.9K/25K/40WK

65700-94415-000
with fuel filter (gasoline)
Applicable Model DT9.9K/15K/25K/40WK

65700-94433-000
with fuel filter (kerosene)
Applicable Model DT9.9K/15K

FUEL-HOSE COMPONENT (Meets US-EPA requirements.)

65700-91J23-000
Applicable Model DF4/6/8A/9.9A/9.9B/15A/20A

65700-94JC2-000
Applicable Model DF9.9

65700-87J20-000
Applicable Model DF9.9B-25

65700-88L01-000
Applicable Model DF40A-60A

FUEL-HOSE COMPONENT Chart



FUEL HOSE COMPONENT		SOCKET			HOSE				SQUEEZE PUMP	HOSE				SOCKET		
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)		D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
65700-94JD0-000	1970	Plastic	6.6	65750-87J11-000	700	Large	7.3	12.5	65770-99J00-000	1100	Small	5.3	10.5	Metal	11.2	65750-98505-000
65700-93J01-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J10-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J14-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-90J13-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J10-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-95D03-000	2550	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-99J00-000	2090		5.3	10.5	Metal	11.2	65750-98505-000
65700-96362-000	2620	Metal	11.2	65750-98505-000	300		5.3	10.5	-	2250		7.3	12.5	Metal	13	65750-95500-000
65700-94415-000	3100	Metal	13.0	65750-95500-000	300		7.3	12.5	65770-90J10-000	2600		7.3	12.5	-	-	-
65700-94433-000	3100	Plastic	13.8	65750-94404-000	3000		7.3	12.5	-	-		-	-	-	-	-
65700-91J23-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-94J00-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-94JC2-000	3300	Plastic	6.6	65750-87J11-000	2000		7.3	12.5	65770-94J00-000	1100		5.3	10.5	Metal	11.2	65750-98505-000
65700-87J20-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J00-000	1100		7.3	12.5	Metal	13	65750-95500-000
65700-88L01-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J00-000	1100		7.3	12.5	Metal	13	65750-95500-000

WATER SEPARATOR / FUEL FILTER

65900-98J00-000 147
Applicable Model DF8A-300A, DT9.9/K-40W/WR/WK

ELEMENT SET

65910-98J00-000 148
Applicable Model DF8A-300A, DT9.9/K-40W/WR/WK

PROPELLER

HARDWARE FOR PROPELLER

Applicable Model	STOPPER		PROPELLER BUSH		HARDWARE KIT	Contents of HARDWARE KIT			
		SPACER				SPACER	WASHER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	-	58120-97JA0-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF4/5/6	57635-91JL0-000	-	58120-91J00-000	Press-In	N/A	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	-	58120-93701-000	Press-In	57630-99J00-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9 DT9.9/15	57632-94J00-000	-	58120-93701-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9 with HIGH THRUST propeller	57632-94J00-000	-	58120-94JA0-000	Press-In	57630-93900-000	57633-93901-000	09160-12066-000	09141-12005-000	09204-02004-000
DF9.9B/15A/20A	57632-94J00-000	-	58120-89L00-000	Press-In	N/A	-	09160-12066-000	09141-12005-000	09204-02004-000
DF25	57632-95J00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT25/30	57632-91L00-000	-	58120-96401-000	Press-In	57630-96300-000	57633-96300-000	09160-14028-000	09141-14008-000	09204-03003-000
DT40	57632-92L00-000	-	58120-88L01-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	-	58120-88L01-000	Press-In	57630-94300-000	57633-94300-000	09160-18028-000	09141-18005-000	09204-03003-000
DF70A/80A/90A	57632-87L00-000	-	*58105-90J00-000 **58120-90J00-000	Press-In	57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF100A/115A T model (Right-Hand-Rotation)	57635-90J01-000	57632-90J00-000			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF115A Z model (Counter-Rotation)	57635-92J01-000	-			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF140A	57635-92J01-000	-			57630-90J00-000	57633-90J02-000	09160-18028-000	09141-18005-000	09204-03003-000
DF150-300A	57632-93L00-000	-	***58105-93J00-000 ****58105-93J10-000	Press-In	57630-92E00-000	57633-87D30-000	09160-18028-000	09141-18005-000	09204-03003-000

*58105-90J00 is for 58100-87Lxx, 58100-90Jxx, 58200-92J4x~92J9x and 58200-92JAx~92JDx.
**58120-90J00 is for 58200-90J0x~90J3x and 58200-92J0x~92J3x.
***58105-93J00 is for 58200-96Jxx.
****58105-93J10 is for 58200-93JXX, 58200-93Lxx and 58300-93Jxx.

*Rotation: RR: Right-Hand-Rotation model, CR: Counter-Rotation model

model	type	material	blade	diameter	pitch	rotation*	description	part number
DF2.5	A520	Aluminum	3	7 3/8	5 3/8	RR		58110-97JA0-019
DF4	C601	Aluminum	3	7 1/2	6	RR		58110-91J00-019
DF5	C611	Aluminum	3	7 1/2	6 1/2	RR		58110-91J10-019
DF6	C701	Aluminum	3	7 1/2	7	RR		58110-91J20-019
DF8A	M701	Aluminum	3	9 1/4	7	RR		58100-93703-019
DF9.9	M821	Aluminum	3	9 1/4	8	RR	THICK	58100-90L00-019
DF9.9A	M901	Aluminum	3	9 1/4	9	RR		58100-94J00-019
DT9.9	M911	Aluminum	3	9 1/4	9	RR	THICK	58100-90L10-019
DT15	M1001	Aluminum	3	9 1/4	10	RR		58100-93733-019
	M1011	Aluminum	3	9 1/4	10	RR	THICK	58100-90L21-019
	M1101	Aluminum	3	9 1/4	11	RR		58100-93743-019
DF9.9		Aluminum	4	10	5	RR	High thrust	58100-94JA0-019
DF9.9B		Aluminum	3	9 1/4	7	RR		58100-89L00-019
DF15A		Aluminum	3	9 1/4	8	RR	THICK	58100-90L40-019
DF20A		Aluminum	3	9 1/4	9	RR		58100-89L20-019
		Aluminum	3	9 1/4	9	RR	THICK	58100-90L50-019
		Aluminum	3	9 1/4	10	RR		58100-89L30-019
		Aluminum	3	9 1/4	10	RR	THICK	58100-90L60-019
		Aluminum	3	9 1/4	11	RR		58100-89L40-019
DF25	P911	Aluminum	3	10 1/4	9	RR	THICK	58100-96371-019
DT25	P1001	Aluminum	3	10 1/4	10	RR		58100-96411-019
DT30	P1011	Aluminum	3	10 1/4	10	RR	THICK	58100-96471-019
	P1101	Aluminum	3	10 1/4	11	RR		58100-96421-019
	P1201	Aluminum	3	10 1/4	12	RR		58100-91L00-019
	P1211	Aluminum	3	10 1/4	12	RR	THICK	58100-96481-019
	P1301	Aluminum	3	10 1/4	13	RR		58100-96440-019
	P1311	Aluminum	3	10 1/4	13	RR	THICK	58100-96491-019
	P1401	Aluminum	3	10 1/4	14	RR		58100-95D00-019
	P1501	Aluminum	3	10 1/4	15	RR		58100-96461-019
DT25/30	PS1300	Stainless	3	10 1/4	13	RR		58200-96400-000
DF40A	S900	Aluminum	3	11 1/2	9	RR		58100-88L03-019
DF50A	S1000	Aluminum	3	11 1/2	10	RR		58100-88L13-019
DF60A	S1100	Aluminum	3	11 1/2	11	RR		58100-88L23-019
DT40	S1200	Aluminum	3	11 5/8	12	RR		58100-88L32-019
	S1301	Aluminum	3	11 1/2	13	RR		58100-88L42-019
	S1400	Aluminum	3	11 3/8	14	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	15	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	16	RR		58100-88L72-019
	S1700	Aluminum	3	11	17	RR		58100-88L82-019
	SS1300	Stainless	3	11 1/2	13	RR		58200-88L00-000
	SS1400	Stainless	3	11 3/8	14	RR		58200-88L10-000
	SS1600	Stainless	3	11 1/8	16	RR		58200-88L30-000

model	material	blade	diameter	pitch	rotation*	part number
DF70A	Aluminum	3	14	13	RR	58100-87LA0-019
DF80A	Aluminum	3	13 7/8	15	RR	58100-87LB0-019
DF90A	Aluminum	3	13 3/4	17	RR	58100-87LC0-019
	Aluminum	3	13 3/4	19	RR	58100-87LD0-019
	Aluminum	3	13 3/4	21	RR	58100-87LE0-019
	Aluminum	3	13 3/4	23	RR	58100-87L50-019
	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
	Aluminum	3	14	17	RR	58100-90JA0-019
	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
DF100A	Aluminum	3	13 1/2	15	RR	58100-90JE0-019
DF115A	Aluminum	3	14	17	RR	58100-90JA0-019
DF140A	Aluminum	3	14	19	RR	58100-90JB0-019
	Aluminum	3	14	21	RR	58100-90JC0-019
	Aluminum	3	14	23	RR	58100-90JD0-019
	Stainless	3	14 1/4	18	RR	58200-90J00-000
	Stainless	3	14 1/4	20	RR	58200-90J10-000
	Stainless	3	14 1/4	22	RR	58200-90J20-000
	Stainless	3	14 1/4	24	RR	58200-90J30-000
	Stainless	3	14 1/4	18	CR	58200-92J00-000
	Stainless	3	14 1/4	20	CR	58200-92J10-000
	Stainless	3	14 1/4	22	CR	58200-92J20-000
	Stainless	3	14 1/4	24	CR	58200-92J30-000
	Stainless	3	13 7/8	15	RR	58200-92J40-000
	Stainless	3	13 7/8	17	RR	58200-92J50-000
	Stainless	3	13 7/8	19	RR	58200-92J60-000
	Stainless	3	13 7/8	21	RR	58200-92J70-000
	Stainless	3	13 7/8	23	RR	58200-92J80-000
	Stainless	3	13 7/8	25	RR	58200-92J90-000
	Stainless	3	13 7/8	17	CR	58200-92JA0-000
	Stainless	3	13 7/8	19	CR	58200-92JB0-000
	Stainless	3	13 7/8	21	CR	58200-92JC0-000
	Stainless	3	13 7/8	23	CR	58200-92JD0-000

model	material	blade	diameter	pitch	rotation*	part number
DF150	Stainless	3	16	15	RR	58200-93L80-000
DF175	Stainless	3	16	17	RR	58200-93L00-000
DF200	Stainless	3	16	18 1/2	RR	58200-93L10-000
DF225	Stainless	3	16	20	RR	58200-93L20-000
DF250	Stainless	3	16	21 1/2	RR	58200-93L30-000
DF250A	Stainless	3	16	23	RR	58200-93L40-000
DF300A	Stainless	3	16	24 1/2	RR	58200-93L50-000
	Stainless	3	16	26	RR	58200-93J60-000
	Stainless	3	16	27 1/2	RR	58200-93J70-000
	Stainless	3	16	17	CR	58200-93LE0-000
	Stainless	3	16	18 1/2	CR	58200-93LA0-000
	Stainless	3	16	20	CR	58200-93LB0-000
	Stainless	3	16	21 1/2	CR	58200-93LC0-000
	Stainless	3	16	23	CR	58200-93JD0-000
	Stainless	3	16	24 1/2	CR	58200-93JF0-000
	Stainless	3	16	26	CR	58200-93JG0-000
	Stainless	3	15 1/2	17	RR	58200-96J00-000
	Stainless	3	15 1/4	19	RR	58200-96J10-000
	Stainless	3	15	21	RR	58200-96J20-000
	Stainless	3	14 3/4	23	RR	58200-96J30-000
	Stainless	3	14 1/2	25	RR	58200-96J40-000
	Stainless	3	14 1/2	27	RR	58200-96J50-000
	Stainless	3	15 1/2	17	CR	58200-96JA0-000
	Stainless	3	15 1/4	19	CR	58200-96JB0-000
	Stainless	3	15	21	CR	58200-96JC0-000
	Stainless	3	14 3/4	23	CR	58200-96JD0-000
	Stainless	3	14 1/2	25	CR	58200-96JE0-000
	Stainless	3	14 1/2	27	CR	58200-96JF0-000
	Stainless	4	15 1/4	18	RR	58300-93J00-000
	Stainless	4	15 1/4	20	RR	58300-93J10-000
	Stainless	4	15 1/4	22	RR	58300-93J20-000
	Stainless	4	15 1/4	24	RR	58300-93J30-000
	Stainless	4	15 1/4	26	RR	58300-93J40-000
	Stainless	4	15 1/4	20	CR	58300-93JA0-000
	Stainless	4	15 1/4	22	CR	58300-93JB0-000
	Stainless	4	15 1/4	24	CR	58300-93JC0-000
	Stainless	4	15 1/4	26	CR	58300-93JD0-000

CARE ITEM

MAINTENANCE ITEM

ENGINE COVER

68110-89L00-000 149
Applicable Model DF8A-20A, DT9.9-15

68110-88L00-000 150
Applicable Model DF25/40A-60A, DT25/30

68110-87L00-000 151
Applicable Model DF70A-140A, DT40

68110-96J00-000 152
Applicable Model DF150T/Z-250T/Z

68110-98J00-000 153
Applicable Model DF250A/300A

68110-96110-000
Applicable Model DF4-20A

68110-94400-000 154
Applicable Model DF25

68110-94510-000
Applicable Model DF40A-60A

FLUSH-HOSE ATTACHMENT

55181-95200-000 155
Applicable Model DF4-6/9.9T/TH/40A-60A, DT9.9-40W

17917-87L00-000 156
Applicable Model DF8A/R/9.9A/R/9.9B/R/ 15A/R-300A

2-CYCLE MOTOR OIL

99000-21B40-016 157
CCI OIL. Metal can with a cap & nozzle

99000-21740-006 158
CCIS SUPER OIL. Metal can with a cap & nozzle.

GEAR OIL

99000-22B22-000 159
HYPOID GEAR OIL SAE90 API GL-5
400ml

GREASE

99000-25011-000 160
SUPER GREASE-A
450 grams (15.8 oz) for Crank oil seal

99000-25350-000 161
WATER RESISTANT GREASE EP2
250 grams (8.8 oz)

99000-25140-000 162
MOLY PASTE
50 grams (1.7 oz)

PTT FLUID

99000-22810-000 163
Metal can with a cap
1 liter

LIQUID GASKET

93691-80030-000 164
SILICONE SEAL KE45T
100 grams

99000-31140-000 165
1207B (BLACK)
100 grams (3.4 oz)

THREAD LOCK

99000-32020-000 166
1333B (RED)
50 grams (1.7 oz)

99000-32050-000 167
1342 (BLUE)
50 grams (1.7 oz)

SUZUKI APPROVED GENUINE OIL by MOTUL

These products are supplied directly by MOTUL.
Please note that these oils are not available at some countries.
Please contact with local distributor of MOTUL.

Suzuki and MOTUL have been in partnership in MotoGP since 1988.
Extending this trusted relationship led to the development of new Suzuki Marine Oils.
These ranges of oils have excellent oxidation stability and provide outstanding rust protection under severe operating conditions.

API Classification	SAE Viscosity Grade
SG SH SL SJ SM	10W-40 10W-30
TEMP. C	-20 -10 0 10 20 30 40
TEMP. F	-4 14 32 50 68 86 104

GEAR OIL 168
SAE 90, API GL-5
0.35 litre

4-STROKE ENGINE OIL 169
SAE 10W-30 Semi-synthetic
5 litre FCW

4-STROKE ENGINE OIL 170
SAE 10W-40 Semi-Synthetic
5 litre FCW

PAINT

99000-10109-01T 171
Francois white
90 grams (3.0 oz)

99000-10109-0EP
Metallic shadow black
90 grams (3.0 oz)

APPLICATION CHART

Items and their part numbers showing in the application chart are typically recommended, and applicable to models of engine numbers shown in page 03.
Please consult your local dealers regarding rigging-parts and accessories for earlier engines.

page	Part Name / Description		DF250A/300A	DF200/225/250	DF150/175	DF140A	DF100A/115A	DF70A/80A/90A	DF40A/50A/60A	DF25	DF9.9B/15A/20A	DF9.9T only	DF8A/9.9A	DF4/5/6	DT40	DT25/30	DT9.9/15
18, 22	**REMOTE CONTROL BOX**																
	Binnacle-mount	for Single-Engine	67200-98J03-000 057	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	67200-93J13-000 077	-	-	-	-
		for Dual-Engine	67200-98J13-000 059	67200-93J23-000 078	67200-93J23-000 078	67200-93J23-000 078	67200-93J23-000 078	-	-	-	-	-	-	-	-	-	-
	Flush-mount	for Single-Engine	67200-98J22-000 058	67200-93J32-000 079	67200-93J32-000 079	67200-93J32-000 079	67200-93J32-000 079	67200-93J32-000 079	67200-93J32-000 079	67200-93J32-000 079	-	-	-	-	-	-	-
	Side-mount	for Single-Engine	-	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-93J06-000	67200-94J15-000 080	67200-94J15-000 080	67200-94J15-000 080	67200-94J15-000 080	67200-91J02-000	67200-97E44-000	67200-97E44-000	-
18, 22	**Binnacle-mount REMOTE CONTROL KIT**																
	for Single-Engine	+ Single-station	67000-98J08-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	67000-93J04-000	-	-	-	-	-	-	-	-
				67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000	67000-93J47-000								
		+ Second-station	67000-98J18-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Dual-Engine	+ Single-station	67000-98J28-000	67000-93J14-000	67000-93J14-000	67000-93J14-000	67000-93J14-000	-	-	-	-	-	-	-	-	-	-
				67000-93J57-000	67000-93J57-000	67000-93J57-000	67000-93J57-000	-	-								
		+ Second-station	67000-98J38-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Triple-Engine	+ Single-station	67000-98J48-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		+ Second-station	67000-98J58-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18, 22	**Flush-mount REMOTE CONTROL KIT**																
	for Single-Engine	+ Single-station	67000-98J67-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	67000-93J25-000	-	-	-	-	-	-	-	-
				67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000	67000-93J68-000								
23	**Side-mount REMOTE CONTROL KIT**																
	for Single-Engine	+ Single-station	-	67000-93J78-000	67000-93J78-000	67000-93J78-000	67000-93J78-000	67000-93J78-000	67000-93J78-000	-	-	-	-	-	-	-	-
22	**SPACER KIT for REMOTE CONTROL BOX**																
	for Single Binnacle-mount type		-	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	67500-93J00-000 081	-	-	-	-
	for Dual Binnacle-mount type		-	67500-93J10-000 082	67500-93J10-000 082	67500-93J10-000 082	67500-93J10-000 082	-	-	-	-	-	-	-	-	-	-
25	**REMOTE-CONTROL CABLE**		-	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25	See page 25
25	**REMOTE-CONTROL ATTACHING KIT**		-	-	-	-	-	-	-	67130-95J02-000 097	Coming soon	67130-94J11-000	67130-99J00-000	67130-91J01-000 096	-	-	-
21, 23	**MAIN WIRING HARNESS**																
	5.0 meters		-	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	36620-93J51-000	-	-	-	-	-	-	-	-
	6.5 meters		36620-98J30-000 069	36620-93J02-000 083	36620-93J02-000 083	36620-93J02-000 083	36620-93J02-000 083	36620-93J02-000 083	36620-93J02-000 083	36620-94J01-000	36620-94J01-000	36620-93J02-000 083	36620-94J01-000	-	36620-94J01-000	-	-
	8.0 meters		-	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	36620-93J62-000	-	-	-	-	-	-	-	-
	9.5 meters		36620-98J40-000	-	-	-	-	-	-	-	-	-	-	-	-	-	-
21, 23	**MAIN-WIRING-HARNESS EXTENSION**																
	2.0 meters		36620-98J50-000 070	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	36620-93J10-000	-	-	-	-	-	-
	3.0 meters		-	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	36620-93J40-000	-	-	-	-	-	-
21, 23	**BATTERY LEAD**		36625-98J10-000 073	36625-93J10-000 084	36625-93J10-000 084	-	-	-	-	-	-	-	-	-	-	-	-
24	**IGNITION SWITCH PANEL**																
	Single ignition		-	37100-96J00-000 085	37100-96J00-000 085	37100-96J00-000 085	37100-96J00-000 085	37100-96J00-000 085	37100-96J00-000 085	37100-96J00-000 085	37100-96J00-000 085	-	-	-	-	37100-99E00-000	-
	Single ignition + Emergency-stop switch		-	37100-96J23-000 088	37100-96J23-000 088	37100-96J23-000 088	37100-96J23-000 088	37100-96J23-000 088	37100-96J23-000 088	37100-96J23-000 088	37100-96J23-000 088	-	-	-	37100-96J23-000 088	-	-
	Dual ignition + Emergency-stop switch		-	37100-96J13-000 089	37100-96J13-000 089	37100-96J13-000 089	37100-96J13-000 089	-	-	-	-	-	-	-	-	-	-
20	**MAIN SWITCH PANEL**		37100-98J03-000 060	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	**CONTROL PANEL**																
	for Single engine		37100-98J11-000 061	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Dual engine		37100-98J21-000 062	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	for Triple engine		37100-98J31-000 063	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	**EMERGENCY SWITCH PANEL**		37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	37803-93J03-000 086	-	-	-	-	37803-99E03-000	-
24	**PTT SWITCH PANEL**		-	37805-93J00-000 091	37805-93J00-000 091	37805-93J00-000 091	37805-93J00-000 091	37805-93J00-000 091	37805-93J00-000 091	-	-	-	-	-	-	-	-
24	**LIGHTING SWITCH PANEL**		-	37210-93J00-000 087	37210-93J00-000 087	37210-93J00-000 087	37210-93J00-000 087	37210-93J00-000 087	37210-93J00-000 087	37210-93J00-000 087	37210-93J00-000 087	-	-	-	37210-93J00-000	37210-93J00-000	-
30	**STATOR & PULSER COIL COMPONENT**		-	-	-	-	-	-	-	32120-95J00-000 122	Coming soon	32120-94J10-000	-	-	-	-	-
29	**ELECTRIC STARTER KIT**		-	-	-	-	-	-	-	31000-95J10-000 110	Coming soon	31000-94J02-000	31000-99J00-000	-	-	-	-
29	**BATTERY CHARGING KIT**		-	-	-	-	-	-	-	32000-95J01-000	Coming soon	32000-94J01-000	32000-99J00-000	32000-91J00-000	-	-	-
30	**BATTERY ISOLATOR LEAD SET**		33830-98J10-000	-	33830-96J00-000 121	-	-	-	-	-	-	-	-	-	-	-	-
30	**ANODE**		See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30	See page 30
26	**TILLER HANDLE KIT**		-	-	-	-	63002-90J30-0EP 101	63002-87L10-0EP 100	63002-88L10-0EP 099 63002-88L20-0EP 098	-	-	-	-	-	-	-	-
27	**STEERING EXTENSION KIT**		-	67630-93J00-000 104	67630-93J00-000 104	-	-	-	-	-	-	-	-	-	-	-	-
27	**DRAG-LINK KIT**		-	67700-93J00-000	67700-96J00-000	67701-90J00-000	67701-90J00-000	67701-87L00-000	67701-87J11-000	67700-95J01-000	-	67701-94JA0-000	-	-	-	67701-94420-000	-
27	**STEERING-BRACKET ATTACHMENT**		-	-	-	-	-	-	-	43755-95J01-000	-	43755-94JA0-000	-	-	-	-	-
27	**DUAL-ENGINE TIE-BAR**		-	67600-93J00-000	67600-93J00-000	67600-90J00-000 103	67600-90J00-000 103	-	-	-	-	-	-	-	-	-	-
31	**FUEL TANK**		-	-	-	65000-95D01-000 139	65000-95D01-000 139	65000-95D01-000 139	65000-95D01-000 139	65000-95D01-000 139	65000-99100-000 138	65000-99100-000 138	65000-99100-000 138	65000-99100-000 138	65000-95D01-000 139	65000-95D01-000 139	65000-95D01-000 139
32	**FUEL-HOSE COMPONENT**		See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32	See page 32
34	**PROPELLER**		See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35	58100-94JA0-000	See page 34-35	See page 34-35	See page 34-35	See page 34-35	See page 34-35